

5009-22 NS1295 U



140(-7) 17(54)




NAISAU


ITEM:	Authority/Country: FAA/UNITED STATES  AU HORIZED RELEASE CERTIFICATE FAA/UNITED STATES  AU HORIZED RELEASE CERTIFICATE  4 0 8 0 0 0 0						
408000 6 1080000	Organization Name Part Address: Cessna Airco Citation Parts Dis 7121 Southwest Bo	tribution	n	,		Order/Contract/Invoice Number:	
00	6. Item: 7. Description: 8. Part Number:		9. Eligibility: *	10. Quantity:	11. Serial/Batch Nur	mber: 12. Status/Work:	
PN: 624	6 WEIGHT BAL 6241108	3-26	N/A	1	N/A	New	
6241108-26 0T: N/A	AIRWORTHINESS APPROVAL	- PARTS.	THIS FORM		AN EXPOR	T APPROVAL.	
6	4. Certifies the Items identified above were manufactured  Approved design data and are in a condition for sar  Non-approved design data specified in Block 13.			Return to Sent t unless otherwald described in the of Federal Research		egulation specified in block 13 ock 13, the work identified in mplished in accordance with and in respect to that work,	
ESC:	To. Authorized Signature:	16. Approval/Auti ODA-10			zed Signature:	21. Approval/Certificate No.:	
QTY U/M WEIGHT	17. Name (Typed or Printed): DANIEL P. BEAT	Ann magne	m/d/y): N/02/2014	22. Name (1	'yped or Printed):	23. Date (m/d/y):	
: 1 : EA : BAL	It is important to understand that the existence of this Where the user/installer performs work in accordance specified in Block 1, it is essential that the user/installe authority of the country specified in Block 1 Statements in Blocks 14 and 19 do not constitute instal accordance with the national regulations by the user/in EAA Form \$130.3 (6.01).	document alone does with the national regular ensures that his/her allation certification. In staller before the aircr	ations of an airworthines airworthiness authority a all cases, aircraft mainter	te authority to its authority differ ccepts parts/co	rent than the airworth mponents/assemblie	hiness authority of the country es from the airworthiness	
	FAA FORM 8130-3 (6-01) Installer must co	race chack aligibility w	ith applicable technical d	ata		NSN: 0052-00-012-9005	

NAISA 2008-10






		111000000000000000000000000000000000000						
ITEM: ORDER:	1. Approving National Aviation Authority / Country: FAA / UNITED STATES  AUTHORIZED RELEASE CERTIFICATE FAA FORM 8130-3, AIRWORTHINESS APPROVAL TAG  3. Form Tracking Number: 3892280							
3892280 4 - 3892280	4. Organization Name and Address: Cessn Cessna Part 5800 E Paw	s Distri	bution	pany (PC4) Dept. 702 KS 67218		5. Wark C	order/Contract/In	290988
8 0	6. Item: 7. Description:	8. Part Number:		9. Eligibility: *	10. Quantity:	11. Serial/Batch Nur	nber: 12	2. Status/Work:
O PN:	4 STOP	5011050	-2	N/A	1	N/A		New
_	13. Remarks:							16171
50110 0T: N	AIRWORTHINESS A	PPROVAL	- PARTS.	THIS FORM	IS NOT	AN EXPOR	T APPR	OVAL.
050 N/A	4)	A)			N .			
1.								
10 ==					PO	# A13-088	312	
	14. Certifies the items identified above v	vere manufactured in	conformity to:	19. 14 CFR 43.5	Return to Sen	rice Other r	egulation spec	ified in block 13
42	Approved design data and are  Non-approved design data spe	in a condition for safe				vise specified in Block 13 was according to the grant of the grant 43 return to service.		
ES	15. Authorized Signature:		16. Approval/Au			red Signature:		al/Certificate No.
: S	John De		ODA-1	00129-CE				
TOF	17. Name (Typed or Printed):		18, Dat	e (m/d/y):	22. Name (1	yped or Printed):	23. Date (m.	(d/y):
P P P	JOHNNY GLOVER		JU	JN/27/2013				
m L >				staller Responsibilitie				
1 EA	It is important to understand that the Where the user/installer performs wo specified in Block 1, it is essential the authority of the country specified in Statements in Blocks 14 and 19 do n accordance with the national regulation	rk in accordance with the State of the state	h the national reguensures that his/her	lations of an airworthines airworthiness authority	s authority differ accepts parts/co	ent than the airworth mponents/assemblie	niness authority is from the airw	of the country orthiness
	FAA Form 8130-3 (6-01) Installer must cross-check elioibility with applicable technical data. NSN: 0052-00-012-9005							




ITEM:	1. Approving National Aviation Authority/Country: FAA/UNITED STATES FAA FORM 8130-3, AIRWORTHINESS APPROVAL TAG 3892280							
3892280 4 3892280	Cessna Parts	na Aircraft s Distributio awnee, Wichit	n Dept. 702		5. Work C	rder/Contract/Invoice Number:		
80 SN	6. Item: 7. Description: 4 STOP	8. Part Number: 5011050-2	9. Eligibility: * N/A	10. Quantity:	11. Serial/Batch Nur	nber: 12. Status/Work: New		
5011050-2 OT: N/A	13. Remarks: AIRWORTHINESS AI				A13-088			
4		in a condition for safe operation.			No. of Concession, Name of Street, or other party of the last of t	egulation specified in block 1, ock 13, the work identified in applished in accordance with and in respect to that work,		
ESC: S	15. Authorized Signature:	3.001.1102.5	al/Authorization No.: -100129-CE	20. Authorize		21. Approval/Certificate No		
QTY:	17. Name (Typed or Printed):  JOHNNY GLOVER	18	3. Date (m/d/y): JUN/27/2013	22. Name (Ty	ped or Printed):	23. Date (m/d/y):		
1 EA	It is important to understand that the Where the user/installer performs wo specified in Block 1, it is essential that authority of the country specified in Bi Statements in Blocks 14 and 19 do n accordance with the national regulatio	existence of this document alone k in accordance with the national t the usernestaller ensures that if ck 1SII	al regulations of an airworthine.  An airworthiness authority  on. In all cases, aircraft maintine aircraft may be flown.	tute authority to in- ss authority differe accepts parts/com enance records mi	nt than the airworth ponents/assemblie	niness authority of the country s from the airworthiness		
	FAW LOUIT 0130-3 (0-01)	Installer must cross-check eligi	DINIV WITH ADDITION REPORTS	Udta.		INDIA: 0025-00-015-2000		

5009-4 U2158U

377257 ITEM: 8 ORDER: 3772577	1. Approving National Aviation Author 7 Country: FAA / UNITED STATES 2. AUTHORIZED RELEASE CERTIFICATE FAA FORM 8130-3, AIRWORTHINESS APPROVAL TAG 3 7 7 2 5 7 7  4. Organization Address: Cessna Aircraft Company - JET (PC4) Citation Parts Distribution 7121 Southwest Boulevard, Wichita, KS 67215							
ភ ប	6. Item: 7. Description: 8. Part N		9. Eligibility:		rial/Batch Number:	12. Status/Work:		
77	6. Item: 7. Description: 6. Part N	umber.	9. Engionity:	10. Quantity: 111. Se	nai/Batch Number:	12, Status/work;		
SN PN	8 BEARING 5542	2308-7	N/A	1 N/	Α	New		
S	13. Remarks:	61			•	1.0		
5542308-7 0T: N/A	AIRWORTHINESS APPROV	/AL - PARTS.	THIS FORM		EXPORT AP	PROVAL.		
			I 🖂					
ω	14. Certifies the items identified above were manuf  Approved design data and are in a condition  Non-approved design data specified in Blo	on for safe operation.	Gertifies tha	Return to Service t unless otherwise sp d described in Block le of Federal Regulati e approved for return	ecified in Block 13, th	in accordance with		
DESC:	15. Authorized Signature:	16. Approval/Au		20. Authorized Sig		proval/Certificate No.		
	Daniel 1. Brat	ODA-10	00129-CE					
QTY: U/M: BEARING	17. Name (Typed or Printed):		te (m/d/y):	22. Name (Typed o	or Printed): 23. Da	te (m/d/y):		
25g	* \$4.000							
N X X	DANIEL P. BEAT		R/05/2013	The State of Control				
	Wie important to understand that the		nstaller Responsibilitie			and to		
1 EA	It is important to understand that the existence Where the user/installer performs work in acco- specified in Block 1, it is essential that the user authority of the country specified in Block 1 Statements in Blocks 14 and 19 do not constitu accordance with the national regulations by the	rdance with the national regularistaller ensures that his/he ute installation certification. In	ulations of an airworthines r airworthiness authority a n all cases, aircraft mainte	s authority different that accepts parts/componer	n the airworthiness aut nts/assemblies from the	thority of the country e airworthiness		
	FAA Form 8130-3 (6-01) Installer must cross-check elioibility with applicable technical data. NSN: 0052-00-012-9005							





4961-24 N21540

ITEM: ORDER:	Approving National Aviation Authority / Country:  FAA FORM 8130-3, AIRWORTHINESS APPROVAL TAG  8. Form Tracking Number: 3 9 2 7 3 4 3								
3927343 30 PN: 084 :: 3927343 SN/LOT:	Citation Par	Cessna Aircraft Company - JET (PC4) Citation Parts Distribution 7121 Southwest Boulevard, Wichita, KS 67215							
43	6. Item: 7. Description:	8. Part Number:	9. Eligibility: *	10. Quantity:	11. Serial/Batch Nur	nber:	12. Status/Work:		
PN:	30 TUBE AXLE	0842000-36	N/A	1	N/A		New		
0842000-36 OT: N/A	4. Certifies the items identified above we	STATE OF THE PARTY	A STATE OF THE PERSON NAMED IN COLUMN TO STATE OF THE PER	9 Return to Ser		egulation spe	ecified in block 12		
0	Approved design data and are in  Non-approved design data specif		Certifies th Block 12 a Title 14, Co the items a	at unless other nd described in ide of Federal I re approved fo	wise specified in Block 13 was accordingly and the Block 14 was accordingly and the Block 13 was accordingly and the Block 14 was accordingly accordingly and the Block 14 was accordingly accordin	ock 13, the w nplished in a and in respe	ork identified in accordance with act to that work,		
DESC	5. Authorized Signature:	16. Approva	/Authorization No.:		zed Signature:		val/Certificate No.		
	Don P. Ma	ODA-	100129-CE						
QT U/ TUBE	17. Name (Typed or Printed):	18.	Date (m/d/y):	22. Name (	Typed or Printed):	23. Date (r	n/d/y):		
QTY: U/M: BE AXI	DON P. MACY		NOV/13/2013						
			r / Installer Responsibiliti						
EA EE	It is importent to higher that the e Where the secondaries performs work specified his occupies sesential that authority of the country specified in Blc Statements in Blocks 14 and 19 do no accordance with the national regulation	in accordance with the national the user/installer ensures that hi lick 1 t constitute installation certification	regulations of an airworthine s/her airworthiness authority n. In all cases, aircraft maint	ss authority diffe accepts parts/co	rent than the airworth emponents/assemblie	niness authorit s from the air	ty of the country worthiness ation issued in		
	FAA Form 8130-3 (6-01)	Installer must cross-check eligib	lity with applicable technical	data.		NSN:	0052-00-012-9005		


5009-1 N21516

TEM:		FORM 8130-3, AIRWORTHINESS A		383556
38355	Cessna Parts Distr	craft Company (PC4 ibution Dept. 702 Wichita, KS 67218	)	rk Order/Contract/Invoic 127
60 PN:	6. Item: 7. Description: 8. Part Number: 2 BUCKET AXL 0842000	9. Eligibility: N/A N/A	10. Quantity: 11. Serial/Batch N/A	Number: 12. St
0842000-37	AIRWORTHINESS APPROVAL	- PARTS. THIS FORM	C. Philo	ORT APPROV.
2	Approved design data and are in a condition for sa     Non-approved design data specified in Block 13.	ofe operation.  Certifies the Block 12 ar	Return to Service Other it unless otherwise specified in id described in Block 13 was ac de of Federal Regulations, part re approved for return to service	43 and in respect to th
- B	15. Authorized Signature:	16. Approval/Authorization No.:  ODA-100'129-CE	20. Authorized Signature:	21. Approval/Cert
QTY:	17. Name (Typed or Printed): JOHNNY GLOVER	18. Date (m/d/y): MAY/03/2013	22. Name (Typed or Printed	): 23. Date (m/d/y):
1 EA	It is important to understand that the existence of this Where the user/installer performs work in accordance v specified in Block 1, it is essential that the user/installe authority of the country specified in Block 1 Statements in Blocks 14 and 19 do not constitute instal accordance with the national regulations by the user/in	with the national regulations of an airworthine er ensures that his/her airworthiness authority Illation certification. In all cases, aircraft maint	ute authority to install the part/coss authority different than the airwaccepts parts/components/assem	orthiness authority of the c blies from the airworthines:
	FAA Form 8130-3 (6-01) Installer must co	ross-chack aligibility with applicable technical	data	NSN: 0052-00-(

NS11850



966-1



5009-23 N2158U

ITEM:	AUTHORIZED RELEASE CERTIFICATE NA Authority / Country: FAA FORM 8130-3, AIRWORTHINESS APPROVAL TAG  3. Form Tracking No. 4 0 3 1						
4031704 12 PN: 55 : 4031704 SN/LOT	Cessna Airc Citation Parts Dist 7121 Southwest Bo	ributio	n		(4)	Order/Contract/Invoice Number:	
04	6. Item: 7. Description: 8. Part Number:		9. Eligibility: *	10. Quantity:	11, Serial/Batch Nu	mber: 12. Status/Work:	
PN:	12 GASKET 5526251	-3	N/A	1	N/A	New	
26251-3 : N/A	AIRWORTHINESS APPROVAL  4. Certifies the items identified above were manufactured i	n conformity to:	19. 14 CFR 43.	PO:	# POA13-1	5622 regulation specified in block 13	
2	Approved design data and are in a condition for sat  Non-approved design data specified in Block 13.	e operation.	Block 12 at Title 14, Co the items a	at unless other nd described in ode of Federal in the approved fo	wise specified in Bi Block 13 was acco Regulations, part 43 r return to service.	lock 13, the work identified in emplished in accordance with 3 and in respect to that work,	
DESC:	15. Authorized Signature:	16. Approval/A	uthorization No.:		ized Signature:	21. Approval/Certificate No.	
	Don P. Macy	ODA-10	00129-CE		,		
QTY U/N GASKE	17. Name (Typed or Printed):	18. Da	te (m/d/y):	22. Name (	Typed or Printed):	23. Date (m/d/y):	
Ĥ.TY:	DON P. MACY	NO	V/09/2013				
1 EA	It is important to understand that the existence of this d Where the user/installer performs work in accordance v specified in Block 1, it is essential that the user/installer authority of the country specified in Block 1 Statements in Block 14 and 19 do not constitute instal accordance with the national regulations by the user/installer.	locument alone doe with the national reg r ensures that his/hi lation certification. I	ulations of an airworthine er airworthiness authority in all cases, aircraft maint	tute authority to ss authority diffe accepts parts/o	erent than the airwort omponents/assemblie	thiness authority of the country es from the airworthiness allation certification issued in	
	FAA Form 8130-3 (6-01) Installer must cr	oss-check eligibility	with applicable technical	data.	(10)	NSN: 0052-00-012-9005	

1961-24 N21558 Le

ITEM:	1. Approving National Aviation Authority / Country: FAA / UNITED STATES AUTHORIZED RELEASE CERTIFICATE FAA FORM 8130-3, AIRWORTHINESS APPROVAL TAG 4 0 5 7 2 5 6							
405725	4. Organization Name and Address: Cessna Aircraft Company - JET (PC4) Citation Parts Distribution 7121 Southwest Boulevard, Wichita, KS 67215							
5 5	6. Item: 7. Description:	8. Part Number:	9. Eligibility: *	10. Quantity:	11. Serial/Batch Num	nber: 12. Status/Work:		
SN PN	2 BATTERY	BS1015MS	N/A	1	11112	New		
015MS 2	Certifies the items identified above     Approved dissign data and are	were manufactured in conformity to: in a condition for safe operation.		Return to Serv		66  agulation specified in block 13 bok 13, the work identified in mplished in accordance with and in respect to that work,		
	Non-approved design data spo							
D .	15. Authorized Signature:		Authorization No.:	20. Authoriz	ed Signature:	21. Approval/Certificate No.		
20	17. Name (Typed or Printed):	18. [	Date (m/d/y):	22. Name (T	yped or Printed):	23. Date (m/d/y):		
TY.	DANIEL P. BEAT	D	EC/05/2013					
: 1 EA	It is important to understand that the Where the user/installer performs we specified in Block 1, it is essential th authority of the country specified in Education in Blocks 14 and 19 do accordance with the national regulation.	existence of this document alone of the in accordance with the national real at the user/installer ensures that his slock 1 not constitute installation certification	egulations of an airworthines finer airworthiness authority a In all cases, aircraft mainte	ute authority to in a authority difference accepts parts/con	ent than the airworth inponents/assemblies	niness authority of the country s from the airworthiness		
	FAA Form 8130-3 (6-01)	* Installer must cross-check eligibil	ty with applicable technical of	data.		NSN: 0052-00-012-9005		

4961-47 N25158V

I TEM:	1. Approving National Aviation Authority / Country: FAA / UNITED STATES	FAA FORM 8130-3.	RELEASE CER AIRWORTHINESS A			57256
40572	Citation Part	a Aircraft Con s Distribution west Boulevar	n	10.1		1770327
7 7	6. Item: 7. Description: 8	. Part Number:	9. Eligibility; *	10. Quantity: 11.	Serial/Batch Numb	er: 12. Status/Work:
SP =	3 BATTERY E	3S1016MS	N/A	1 6	074	New
BS1016MS	AIRWORTHINESS APF			. /%	13-1676	NG US
ω	Approved design data and are in a	a condition for safe operation.				k 13, the work identified in plished in accordance with nd in respect to that work,
700. B	15. Authorized Signature:	1	uthorization No.: 00129-CE	20. Authorized S		21. Approval/Certificate No
A C Q	17. Name (Typed or Printed):	18. Da	ite (m/d/y):	22. Name (Typed	f or Printed):	23. Date (m/d/y):
TY TY	DANIEL P. BEAT	DE	C/05/2013			
: 1 : EA	It is important to understand that the exi Where the user/installer performs work specified in Block 1, it is essential that it authority of the country specified in Bloc Statements in Blocks 14 and 19 do not accordance with the national regulations	stence of this document alone doe in accordance with the national reg he user/installer ensures that his/hi k 1 constitute installation certification. In by the user/installer before the air	ulations of an airworthines or airworthiness authority a n all cases, aircraft mainte craft may be flown.	ute authority to install s authority different the accepts parts/components records must of	han the airworthin nents/assemblies	ness authority of the country from the airworthiness ation certification issued in
	FAA Form 8130-3 (6-01) * I	nstaller must cross-check eligibility	with applicable technical of	fata		NSN: 0052-00-012-900

U85158N


ITEM		HORIZED RELEAS RM 8130-3, AIRWORTHI		3. Form Tracking Number: 3870460
ν ω ω ω ω	4. Organization Name and Address: Cessna Aircra Citation Parts Dist 7121 Southwest Bou	aft Company - ribution a alevard, Wick	JET (PC4)	5. Work Order/Contract/Invoice Number:
70460 PN 8870469N	8. Hem: 7. Description: 8. Part Number: 8. POTENTIOME RES350	9. Eligibility: •	10. Quantity: 11, Serial/	Batch Number: 12. Status/Work:
RES350 OT: N/A	AIRWORTHINESS APPROVAL	- PARTS. THIS		EXPORT APPROVAL.
ω	14. Certifies the items identified above were manufactured in comparing the provided seign data and are in a condition for safe or Non-approved design data specified in Block 13.	CONTRACTOR AND ADDRESS OF THE PARTY OF THE P	CFR 43.9 Return to Service	Other regulation specified in block 13 led in Block 13, the work identified in was accomplished in accordance with , part 43 and in respect to that work, service.
DESC.	15. Authorized Signature:	6. Approval/Authorization No.	p.: 20. Authorized Signat	
QTY U/M	17. Name (Typed or Printed):  DAN J. EHMKE	18. Date (m/d/y):  JUN/12/2	22. Name (Typed or P	rinted): 23. Date (m/diy):
: 1 : EA	It is important to understand that the existence of this doc Where the user/installer performs work in accordance with specified in Block 1, it is essential that the user/installer er authority of the country specified in Block 1 Statements in Blocks 14 and 19 do not constitute installati accordance with the national regulations by the user/instal	the national regulations of an ai naures that his/her airworthiness on certification. In all cases, airc	ally constitute authority to install the p inworthiness authority different than th authority accepts parts/components/i raft maintenance records must contain	e airworthiness authority of the country assemblies from the airworthiness
	FAA Form 8130-3 (6-01) Installer must cross	-check aligibility with applicable	technical data	NSN: 0052-00-012-9005

5009-30 N21580



NEISSU


5009-18



4961-55 NA153U

I TEM:	Approving National Aviati Authority / Country: FAA / UNITED STATE	FAA FORM 8130-3	B, AIRWORTHINESS		Trans.	081109
4081109 3 PN: AN4 : 4081109 SN/LOT:	Cessna Parts	na Aircraft C Distribution nee, Wichita,	n Dept. 702	4)	5. Work C	1335732
09	Litem: 7. Description:	8. Part Number:	9. Eligibility: *	10. Quantity:	11. Serial/Batch Nur	nber: 12. Status/Work:
PN	3 BOLT	AN4-73A	N/A	1	N/A	New
AN4-73A OT: N/A	AIRWORTHINESS A	PPROVAL - PARTS	5. THIS FORM		AN EXPOR	T APPROVAL.
ω	4. Certifies the items identified above w  Approved design data and are in  Non-approved design data spec	n a condition for safe operation.	Certifies th	nd described in F	ise specified in Block 13 was accor	egulation specified in block 13 bock 13, the work identified in applished in accordance with and in respect to that work,
DESC: BO	75. Authorized Signature:		Authorization No.:	20. Authorize		21. Approval/Certificate No.:
QTY: U/M: BOLT	17. Name (Typed or Printed): JOHNNY GLOVER		Date (m/d/y): JAN/03/2014	22. Name (Ty	/ped or Printed):	23. Date (m/d/y):
1 EA	It is ingested and the the Whele the Certain taller performs wor specified (Slock), it is essential tha authority of the country specified in Statements in Blocks 14 and 19 do no accordance with the national regulation FAA Form 8130-3 (6-01)	existence of this document alone of k in accordance with the national in t the user/installer ensures that his ock 1 ot constitute installation certification	regulations of an airworthine In all cases, aircraft maint aircraft may be flown.	itute authority to in ess authority differe accepts parts/con tenance records m	ent than the airworth nponents/assemblie	iness authority of the country s from the airworthiness

1961-28 12158U



1961-27 N 2158